	Application No.	Applicant(s)
Notice of Allowability	10/695,298	BABA, TOSHIYUKI
	Examiner	Art Unit
	Kaj K. Olsen	1753
	Naj N. Olseli	1733
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the amendment of 8-3-2007.		
2. The allowed claim(s) is/are <u>5-35</u> .		
3. ⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ⊠ All b) □ Some* c) □ None of the:		
1. 🖾 Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
2. Notice of Practices Cited (F10-092)	6. ☐ Interview Summary	· ·
	Paper No./Mail Da 7. ⊠ Examiner's Amend	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🖾 Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.	
,		

Application/Control Number: 10/695,298 Page 2

Art Unit: 1753

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows: the title of the invention was change to --An Ion Measuring Composite Electrode--.

2. The following is an examiner's statement of reasons for allowance: This examiner is withdrawing all the outstanding rejections of the claimed subject matter. The rejections in question relied on a combination of applicant's admitted prior art and the teaching of Bukamier where Bukamier had been particularly relied on as a teaching of an elongated member with hydrophilicity or liquid absorption characteristics. However, one possessing ordinary skill in the art would not have been motivated to utilize the elongated member teaching of Bukamier for the electrode of the admitted prior art. In particular, Bukamier is utilizing its elongated member 24 between the inner and outer tubes to form a reference junction between the inner and outer tubes. See col. 5, Il. 13-26. By contrast, the admitted prior art has its junction 9 already located on the outer tube. See fig. 5A, 5B and paragraph 0006 of the specification. Because the junction of the admitted prior art is not located between the inner and outer tubes, there is no motivation to utilize the elongated member (i.e. the junction) of Bukamier between the tubes of the admitted prior art.

Application/Control Number: 10/695,298

Art Unit: 1753

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kaj Olsen whose telephone number is (571) 272-1344. The examiner can normally be reached on Monday through Friday from 8:00 A.M. to 4:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen, can be reached on 571-272-1342. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AU 1753 September 12, 2007

> KAJ K. OLSEN DRIMARY EXAMINER